

**STUTTON CORPORATION  
MATERIAL SAFETY DATA SHEET**

**SECTION I**

|  |  |
|--|--|
| PRODUCT NAME OR NUMBER: <b>EPOXY STRIP</b>   |  |
| MANUFACTURED exclusively for<br>STUTTON CORPORATION  | for CHEMICAL EMERGENCY, Spill, Leak, Fire, Exposure, or<br>Accident Call:<br>Infotrac 800-535-5053 |
| ADDRESS (number, street, city, state, zip)<br>11210 LADNER ROAD<br>D'IBERVILLE, MS 39540<br>For information call 228-396-0396 fax 228 396-0800 |  |
| HAZARDOUS MATERIALS DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO.<br>Non-hazardous  |  |
| ADDITIONAL HAZARD CLASSES (as applicable):   |  |
| CHEMICAL FAMILY: Water based.  | FORMULA: cured epoxy remover Aqueous   |

**SECTION II - HAZARDOUS INGREDIENTS**

| CAS REGISTRY NO. | % W | CHEMICAL NAME(S) |
|------------------|-----|------------------|
| 79-14-1          | <5  | Glycolic Acid    |
|                  |     |                  |

**SECTION III - PHYSICAL DATA**

|  |         |                                  |                     |  |      |
|--|---------|----------------------------------|---------------------|--|------|
| BOILING POINT:                                   | >212 °F | SPECIFIC GRAVITY (H2O = 1):      | 1.06-1.08           | VAPOR DENSITY (AIR =1)                   | N.A. |
| VAPOR PRESSURE:<br>@ °F °C [ ] mmHg [ ] psi      | N.A.    | PERCENT VOLATILE BY VOL.<br>(%): | >90                 | EVAPORATION RATE<br>(Butyl Acetate = 1): | <0.1 |
| SOLUBILITY IN WATER:                             | 100%    | PERCENT SOLID BY WEIGHT<br>(%):  | <10                 | pH = (neat) Approx.                      | 2-4  |
| APPEARANCE AND ODOR: Off white liquid, mild odor |         |                                  | IS MATERIAL: LIQUID |  |      |

**SECTION IV - FIRE AND EXPLOSION HAZARD DATE**

|   |                  |                |                |
|---|------------------|----------------|----------------|
| FLASH POINT: (Method used – PMCC )<br>N/A   | FLAMMABLE LIMITS | LEL            | UEL            |
|   |                  | not determined | not determined |
| EXTINGUISHING MEDIA: Water fog, alcohol resistant foam, CO2, dry chemical.  |                  |                |                |
| SPECIAL FIRE FIGHTING PROCEDURES: Always wear self-contained breathing apparatus when fighting industrial fires.. |                  |                |                |
| UNUSUAL FIRE AND EXPLOSION HAZARDS: None  |                  |                |                |

**SECTION V - HEALTH HAZARD DATA**

|  |  |
|--|--|
| EFFECTS OF OVEREXPOSURE (Conditions to Avoid):<br>SKIN: May cause irritation. EYES: Exposure may cause irritation. INHALATION: Concentrated mist may cause irritation. INGESTION: Exposure may cause irritation.   | THRESHOLD LIMIT VALUE: Not determined. |
| PRIMARY ROUTES OF ENTRY: Inhalation [ ] Skin Contact [X] Other (Specify)   |  |
| EMERGENCY AND FIRST AID PROCEDURES: SKIN: Remove contaminated clothing and flush affected area with water. Use soap if available. EYES: Immediately flush with water for at least 15 minutes. Lift eye lids. Seek medical attention. INHALATION: Remove from exposure to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. Seek medical attention. INGESTION: Do not induce vomiting. Give large quantities of water. Never give anything by mouth to an unconscious person. Seek medical attention. |  |

### SECTION VI - REACTIVITY DATA

|  |                |   |                                      |
|--|----------------|---|--------------------------------------|
| STABILITY  | UNSTABLE       |   | CONDITIONS TO AVOID: Excessive heat. |
|  | STABLE         | X |                                      |
| INCOMPATIBILITY (Materials to Avoid) Avoid alkaline materials and strong oxidizing agents.   |                |   |                                      |
| HAZARDOUS DECOMPOSITION PRODUCTS: Burning can produce carbon monoxide and/or carbon dioxide. |                |   |                                      |
| HAZARDOUS POLYMERIZATION   | MAY OCCUR      |   | CONDITIONS TO AVOID                  |
|  | WILL NOT OCCUR | X |                                      |

### SECTION VII - SPILL OR LEAK PROCEDURES

|  |
|--|
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Protective clothing and equipment must be worn by clean-up personnel. Contain spill. Do not allow drainage into sewers, on the ground or into any body of water. Recover if possible. Soak up with absorbent material and collect for disposal. |
| DISPOSAL METHOD: Any disposal practice must be in compliance with federal, state, provincial, and local laws and regulations. Check with appropriate agencies for your location.   |

### SECTION VIII - SPECIAL PROTECTION INFORMATION

|   |  |          |
|---|--|----------|
| RESPIRATORY PROTECTION: If misting or heavy vapor formation should occur, wear a NIOSH approved respirator  |  |          |
| VENTILATION   | LOCAL EXHAUST: Use where needed.   | SPECIAL: |
|   | MECHANICAL: Recommended to control mists and vapors.   | OTHER:   |
| PROTECTIVE GLOVES: Wear impervious gloves.  | EYE PROTECTION: Use chemical splash goggles. May be used in conjunction with a full face shield. |          |
| OTHER PROTECTIVE EQUIPMENT: Selection of specific items such as face shield, boots, apron or full body suit will depend on operation. Safety eye wash/shower stations should be available in the work area. |  |          |

### SECTION IX - SPECIAL PRECAUTION

|  |   |
|--|---|
| PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store away from excessive heat. Store in well ventilated area. Keep containers closed when not in use. Do not store with strong bases or strong oxidizing agents. |   |
| OTHER PRECAUTIONS: Empty containers retain residues and label hazard precautions.  |   |
|  | DATE ISSUED: <b>07-FEB-2003</b> SUPERSEDES: <b>None</b> |

Information presented herein has been compiled to be dependable and is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.